

बिड दस्तावेज़ / Bid Document

बिड विवरण/Bid Details	
बिड बंद होने की तारीख/समय /Bid End Date/Time	13-06-2026 12:00:00
बिड खुलने की तारीख/समय /Bid Opening Date/Time	13-06-2026 12:30:00
बिड पेशकश वैधता (बंद होने की तारीख से)/Bid Offer Validity (From End Date)	180 (Days)
मंत्रालय/राज्य का नाम/Ministry/State Name	Ministry Of Health And Family Welfare
विभाग का नाम/Department Name	Department Of Health And Family Welfare
संगठन का नाम/Organisation Name	All India Institute Of Medical Sciences (aiims)
कार्यालय का नाम/Office Name	Madurai
शिकायत निवारण के संपर्क विवरण/ Contact details of Grievance redressal	purush.temerg@nic.in
कुल मात्रा/Total Quantity	1050
वस्तु श्रेणी /Item Category	Steel Almirah / Cabinets (V4) (Q2) , Metal Beds (V3) (Q2) , Chair for General Purpose (Q2) , Modular Table / Meeting Table / Centre Table (V2) (Q2) , Stainless Steel Dining Table With Fixed Chair (Q2)
बिडर का न्यूनतम औसत वार्षिक टर्नओवर (3 वर्षों का) /Minimum Average Annual Turnover of the bidder (For 3 Years)	74 Lakh (s)
मूल उपकरण निर्माता का औसत टर्नओवर (गत 3 वर्षों का)/OEM Average Turnover (Last 3 Years)	743 Lakh (s)
उन्हीं/समान सेवा के लिए अपेक्षित विगत अनुभव के वर्ष/Years of Past Experience Required for same/similar service	3 Year (s)
एमएसएमई के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है/MSE Relaxation for Years of Experience and Turnover	No
स्टार्टअप के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है /Startup Relaxation for Years of Experience and Turnover	No

बिड विवरण/Bid Details	
विक्रेता से मांगे गए दस्तावेज़/ Document required from seller	Experience Criteria,Past Performance,Bidder Turnover,Certificate (Requested in ATC),OEM Authorization Certificate,OEM Annual Turnover,Additional Doc 1 (Requested in ATC),Additional Doc 2 (Requested in ATC),Compliance of BoQ specification and supporting document *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer
क्या आप निविदाकारों द्वारा अपलोड किए गए दस्तावेज़ों को निविदा में भाग लेने वाले सभी निविदाकारों को दिखाना चाहते हैं? संदर्भ मेनू है/ Do you want to show documents uploaded by bidders to all bidders participated in bid?	Yes (Documents submitted as part of a clarification or representation during the tender/bid process will also be displayed to other participated bidders after log in)
बिड लगाने की समय सीमा स्वतः नहीं बढ़ाने के लिए आवश्यक बिड की संख्या। / Minimum number of bids required to disable automatic bid extension	3
दिनों की संख्या, जिनके लिए बिड लगाने की समय-सीमा बढ़ाई जाएगी। / Number of days for which Bid would be auto-extended	5
ऑटो एक्सटेंशन अधिकतम कितनी बार किया जाना है। / Number of Auto Extension count	1
विगत प्रदर्शन / Past Performance	50 %
बिड से रिवर्स नीलामी सक्रिय किया/ Bid to RA enabled	No
बिड का प्रकार/ Type of Bid	Two Packet Bid
प्राथमिक उत्पाद श्रेणी/ Primary product category	Steel Almirah / Cabinets (V4)
तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय / Time allowed for Technical Clarifications during technical evaluation	2 Days
निरीक्षण आवश्यक (सूचीबद्ध निरीक्षण प्राधिकरण /जेम के साथ पूर्व पंजीकृत एजेंसियों द्वारा)/ Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)	No
मूल्यांकन पद्धति/ Evaluation Method	Total value wise evaluation
मध्यस्थता खंड/ Arbitration Clause	No
सुलह खंड/ Mediation Clause	No

ईएमडी विवरण/EMD Detail

एडवाइजरी बैंक/Advisory Bank	State Bank of India
ईएमडी राशि/EMD Amount	558000

ईपीबीजी विवरण /ePBG Detail

एडवाइजरी बैंक/Advisory Bank	State Bank of India
ईपीबीजी प्रतिशत (%) /ePBG Percentage(%)	5.00
ईपीबीजी की आवश्यक अवधि (माह) /Duration of ePBG required (Months).	15

(a). जेम की शर्तों के अनुसार ईएमडी छूट के इच्छुक बिडर को संबंधित केटेगरी के लिए बिड के साथ वैध समर्थित दस्तावेज़ प्रस्तुत करने है। एमएसई केटेगरी के अंतर्गत केवल वस्तुओं के लिए विनिर्माता तथा सेवाओं के लिए सेवा प्रदाता ईएमडी से छूट के पात्र हैं। व्यापारियों को इस नीति के दायरे से बाहर रखा गया है।/EMD EXEMPTION: The bidder seeking EMD exemption, must submit the valid supporting document for the relevant category as per GeM GTC with the bid. Under MSE category, only manufacturers for goods and Service Providers for Services are eligible for exemption from EMD. Traders are excluded from the purview of this Policy.

(b).ईएमडी और संपादन जमानत राशि, जहां यह लागू होती है, लाभार्थी के पक्ष में होनी चाहिए। / EMD & Performance security should be in favour of Beneficiary, wherever it is applicable.

लाभार्थी /Beneficiary :

Executive Director, AIIMS Madurai

All India Institute of Medical Sciences (AIIMS), Madurai, Department of Health and Family Welfare, Ministry of Health and Family Welfare

(The Executive Director)

बोली विभाजन लागू नहीं किया गया/ Bid splitting not applied.

एमआईआई खरीद वरीयता / MII Purchase Preference

एमआईआई खरीद वरीयता / MII Purchase Preference	Yes
मेक इन इंडिया विक्रेताओं को खरीद में प्राथमिकता, यदि उनका मूल्य L1+X% तक की सीमा में है / Purchase Preference to MII sellers available upto price within L1+X%	20
मेक इन इंडिया खरीद में प्राथमिकता के लिए बिड की मात्रा का अधिकतम प्रतिशत / Maximum Percentage of Bid quantity for MII purchase preference	50
सार्वजनिक खरीद (मेक-इन-इंडिया को प्राथमिकता) आदेश 2017 के अनुसार केवल क्लास 1/क्लास 2 के स्थानीय आपूर्तिकर्ताओं को ही भागीदारी की अनुमति है दिनांक 16.09.2020 (समय-समय पर संशोधित एवं लागू) / Allow participation only from Class 1/Class 2 local suppliers as per the Public procurement(Preference to Make-in-india) order 2017 date 16.09.2020(as amended and applicable time to time)	Yes, in compliance with the MII ORDER : DPIIT Order(as amended and applicable time to time)

एमएसई खरीद वरीयता/MSE Purchase Preference

एमएसई खरीद वरीयता/MSE Purchase Preference	Yes
सूक्ष्म और लघु उद्यम मूल उपकरण निर्माताओं/सेवा प्रदाता को खरीद में प्राथमिकता, यदि उनका मूल्य L1+X% / Purchase Preference to MSE OEMs/ Service Provider available upto price within L1+X%	15
सूक्ष्म और लघु उद्यम मूल उपकरण निर्माता/सेवा प्रदाता को खरीद में प्राथमिकता के लिए बिड की मात्रा का अधिकतम प्रतिशत / Percentage of Bid quantity/amount for MSE OEMs/ Service Provider Purchase preference	25

1. The minimum average annual financial turnover of the bidder during the last three years, ending on 31st March of the previous financial year, should be as indicated above in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the bidder is less than 3-year-old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.

2. Experience Criteria: In respect of the filter applied for experience criteria, the Bidder or its OEM of the product offered in the bid {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU for number of Financial years as indicated above in the bid document before the bid opening date. Copies of relevant contracts and delivery acceptance certificates like CRAC to be submitted along with bid in support of having supplied some quantity during each of the Financial year. In case of bunch bids, the category of primary product having highest value should meet this criterion.

3. OEM Turn Over Criteria: The minimum average annual financial turnover of the OEM of the offered product during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the OEM is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.

4. Preference to Make In India products (For bids < 200 Crore): Preference shall be given to Class 1 local supplier as defined in public procurement (Preference to Make in India), Order 2017 as amended from time to time and its subsequent Orders/Notifications issued by concerned Nodal Ministry for specific Goods/Products. The minimum local content to qualify as a Class 1 local supplier is denoted in the bid document. If the bidder wants to avail the Purchase preference, the bidder must upload a certificate from the OEM regarding the percentage of the local content and the details of locations at which the local value addition is made along with their bid, failing which no purchase preference shall be granted. In case the bid value is more than Rs 10 Crore, the declaration relating to percentage of local content shall be certified by the statutory auditor or cost auditor, if the OEM is a company and by a practicing cost accountant or a chartered accountant for OEMs other than companies as per the Public Procurement (preference to Make-in -India) order 2017 dated 04.06.2020. Only Class-I and Class-II Local suppliers as per MII order dated 4.6.2020 will be eligible to bid. Non - Local suppliers as per MII order dated 04.06.2020 are not eligible to participate. However, eligible micro and small enterprises will be allowed to participate .The buyers are advised to refer the OM No.F.1/4/2021-PPD dated 18.05.2023.

[OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017 and its subsequent Orders/Notifications issued by concerned Ministry .Benefits of MSE will be allowed only if seller/service provider is validated on-line in GeM profile as well as validated and approved by Buyer after evaluation of documents submitted.

5. Purchase preference to Micro and Small Enterprises (MSEs): Purchase preference will be given to MSEs having valid Udyam Certificate and whose credentials are validated online through Udyam Registration portal as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail themselves of the Purchase preference, the bidder must be the manufacturer / OEM of the offered product on GeM. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises and hence resellers offering products manufactured by some other OEM are not eligible for any

purchase preference. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service, and Buyer will decide eligibility for purchase preference based on documentary evidence submitted in case of product bids, whereas in case of services the eligibility is automatically validated. If L-1 is not an MSE and MSE Seller (s) has / have quoted price within L-1+ 15% (Selected by Buyer) of margin of purchase preference /price band defined in relevant policy, such MSE Seller shall be given opportunity to match L-1 price and contract will be awarded for 25% (selected by Buyer) percentage of total quantity. The buyers are advised to refer the [OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017. Benefits of MSE will be allowed only if seller is validated on-line in GeM profile as well as validated and approved by Buyer after evaluation of documents submitted.

6. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.

7. Past Performance: The Bidder or its OEM {themselves or through re-seller(s)} should have supplied same or similar Category Products for 50% of bid quantity, in at least one of the last three Financial years before the bid opening date to any Central / State Govt Organization / PSU. Copies of relevant contracts (proving supply of cumulative order quantity in any one financial year) to be submitted along with bid in support of quantity supplied in the relevant Financial year. In case of bunch bids, the category related to primary product having highest bid value should meet this criterion.

8. Short Duration Bid has been published by the Buyer with the approval of the Competent authority due to Emergency procurement of critical products/services.

Pre Bid Detail(s)

मूल्य भिन्नता खंड दस्तावेज़/Pre-Bid Date and Time	प्री-बिड स्थान/Pre-Bid Venue
05-06-2026 10:00:00	An online link will be shared in the Institute website https://aiimsmadurai.edu.in under Tenders heading regarding pre-bid meeting details. Authorised representatives of the vendors shall attend the pre-bid meeting. The representatives attending the meeting shall furnish identity proof and an authorisation letter from the firm.

Steel Almira / Cabinets (V4) (150 pieces)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम कैटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
STANDARDS AND CERTIFICATIONS	Governing Standard	Conformity to IS 3312, NA
GENERIC	Types of Almira (Dimensions are without pedestal height)	Small (1150 mm X 760 mm X 430 mm), Large (1855 mm X 910 mm X 480 mm)
	Type of Mild Steel Sheets	Grade CR1 of IS 513 (Part 1)
	Availability of Drawers	Yes, No
	No of Drawers	0, 1, 2
	Availability of Lockers	No

विवरण/Specification	विशिष्ट का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
ADDITIONAL ACCESSORIES	Availability of Mirror frame	No
	Availability of Mirror	No
	Availability of Tie Hanger	Yes, No

Additional Specification Parameters - Steel Almira / Cabinets (V4) (150 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
1. Dimensions 2. Construction 3. Levelling Arrangement	1. Overall Size: 916 mm (W) × 486 mm (D) × 1981 mm (H) 2. Fully welded body for rigidity and long life 3. M10 screw type leveller with hex plastic base. Height adjustment: minimum ±10 mm. Anti skid and floor protective base
1. Material Specifications 2. Component wise Thickness	1. All components shall be made from CRCA 'D' Grade high yield strength steel conforming to IS:513 - 0.9 mm 2. Shelves: 0.7 mm, Back Sheet: 0.8 mm, Doors: 0.8 mm (high yield strength)
Construction Details 1. Door Construction 2. Hinges	Construction Details 1. Door Construction: Double panel reinforced doors gap uniformity: ? 2 mm shall open up to 110-120 degrees 2. Hinges: 4 nos. heavy duty concealed hinges per door, thickness: 1.6 mm o Welded to the frame
Shelving System	No. of Shelves: Minimum 4 shelves (5 compartments), Uniformly Distributed Load (UDL) capacity of 40 kg per Self Adjustability: Height wise adjustable shelf mounting slots at 25 mm pitch
Locking & Hardware	Mazak (Zinc alloy) chrome plated handle Locking System: Three-way locking mechanism with shooting bolts (top, bottom, and side); Lock shall be brass pin type or equivalent high security lock; Minimum 3 keys supplied

* Bidders offering must also comply with the additional specification parameters mentioned above.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Purushothaman R	623503, AIIMS Madurai Medical College Temporary Campus 5th Floor, Government Medical College Ramanathapuram	150	30

Metal Beds (V3) (250 pieces)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
GENERIC	Type of Metal bed	Metal bed with Headboard only, Metal bed with Footboard only, Metal bed with Headboard and Footboard, Metal Bed with Headboard, Footboard and Canopy
	Size Category of Metal Bed	Single
	Overall length of Bed (in mm)	1800 - 1850 mm, 1850 - 1900 mm
	Overall width of Bed (in mm)	750 - 900 mm (2.5 to 3 ft), 900 - 1050 mm (3 to 3.5 ft)
	Overall Height of Bed from installation level (in mm)	200 - 250 mm, 450 - 500 mm
	Availability of Headboard	Yes
	Availability of Footboard	Yes
METAL BED FRAME	Material of Bed frame (including legs)	Mild Steel, Aluminium, Wrought Iron
METAL BED MATTRESS SUPPORT PANEL	Type of Bed Mattress Support	Horizontal beams Only, Vertical Beams only, Cross beams - Horizontal & vertical combo
	Material of Bed Mattress Support Panel	Mild Steel, Aluminium, Wrought Iron
METAL BED HEADBOARD	Material of Bed Headboard Frame	Mild Steel
	Shape of Bed Headboard Frame	Square, Rectangle
METAL BED FOOTBOARD	Material of Bed Footboard Frame	Mild Steel, Aluminium, Wrought Iron

Additional Specification Parameters - Metal Beds (V3) (250 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
Cot Dimensions	• Overall Size: 1850 mm (L) × 915 mm (W) × 450 mm (H) • Headboard height: 450 mm from the metal frame • Tailboard height: 150 mm from the metal frame • Tolerance: ±5 mm on length, width, and height • Usable mattress area: Shall match the above dimensions without obstruction.
Metal frame	• Frame Type: Fully welded tubular frame; • Tubular diameter: 30 mm of 1.0 mm thickness • Material: Mild Steel (MS) ERW tubes conforming to IS 3074 / IS 4923 • Grade: CRCA steel conforming to IS:513

Specification Parameter Name	Bid Requirement (Allowed Values)
Construction	Type: Knock down (KD) construction • Assembly: o All components shall be connected using high strength fasteners o Minimum M6 bolts with zinc plated finish o Locking nuts or cam lock fittings as per design • Stability: o Cot shall not wobble after assembly o Structural frame shall support mattress panels without sagging • Load Capacity: o Minimum 120 kg uniformly distributed load (UDL) o Mattress panel deflection ? 5 mm at full load
Mattress	Dimensions: 900 mm (W) \ 1800 mm (L) Thickness: 10 cm; Material: High-Density/Rebonded Foam with Density: 40 kg/m ³ Cover Material: Often breathable knitted fabrics or polyester, frequently with a zippered, washable design.
Prelaminated Particle Board Components	All wooden components shall be prelaminated particle board of approved shade Horizontal plinths 25 mm Prelaminated both sides Bottom plinth 25 mm Moisture resistant grade preferred Headboard 18 mm Imported Decorative HDF foil wrapped trims Tailboard 18 mm Imported Decorative HDF foil wrapped trims Side rails 18 mm Imported Decorative HDF foil wrapped trims Mattress panels 18 mm All exposed edges edge banded with 0.8 mm PVC

* Bidders offering must also comply with the additional specification parameters mentioned above.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Purushothaman R	623503,AIIMS Madurai Medical College Temporary Campus 5th Floor, Government Medical College Ramanathapuram	250	30

Chair For General Purpose (140 pieces)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
CHAIR BACKREST	Backrest Height (Low-back range: 200 - 400 mm, Mid-back range: 400 - 700 mm)	Low-back, Mid-back
	Lumbar Support available in Seat Backrest	Yes, No
CHAIR ARMREST	Armrest Available in the Chair	Yes, No

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	Type of Armrest in Chair	Without Armrest, Fixed armrest with Cushion, Fixed armrest with Padding, Fixed armrest without cushion and padding

Additional Specification Parameters - Chair For General Purpose (140 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
Seat Dimensions	• Overall Seat Size: 43 (L) × 62 cm (W) x 98.5 cm (H) • Seat Height from the ground: 47.5 cm • Dimensional Tolerance: ± 5 mm on all dimensions.
Frame	• Frame Type: Fully welded tubular frame. • Tube Specifications: o Round Tube: Ø 2.22 ± 0.03 cm × 0.16 ± 0.0128 cm wall thickness • Material: o MS ERW tubes conforming to IS 3074 / IS 4923 • Reinforcement: o Seat frame to include cross bracing or support plate to prevent sagging.
Upholstery & Cushioning	Material: PVC leatherette of thickness: 1.0-1.2 mm Abrasion resistance: ? 30,000 Martindale cycles Tear strength: ? 20 N
Shoes / End Caps	Material: Indoor grade Polypropylene (PP); Snap fit design compatible with tubular frame for Anti skid and floor protective function.

* Bidders offering must also comply with the additional specification parameters mentioned above.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Purushothaman R	623503,AIIMS Madurai Medical College Temporary Campus 5th Floor, Government Medical College Ramanathapuram	140	30

Chair For General Purpose (100 pieces)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम कैटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
CHAIR BACKREST	Backrest Height (Low-back range: 200 - 400 mm, Mid-back range: 400 - 700 mm)	Low-back, Mid-back

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	Coverage of Backrest Material	Fully-covered (Full height of backrest covered), Half-covered (Half of backrest covered)
	Lumbar Support available in Seat Backrest	Yes, No
CHAIR ARMREST	Armrest Available in the Chair	Yes
	Type of Armrest in Chair	Fixed armrest with Padding, Fixed armrest without cushion and padding

Additional Specification Parameters - Chair For General Purpose (100 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
Seat & Back Assembly	• Seat Size: 52.5 cm (W) × 53.2 cm (D). 45 cm from the ground. • Back Size: 51.6 cm (W) × 50 cm (H) • Colour: As per approved shade • Material: Injection moulded indoor grade polypropylene (PP) compound • Properties: o Virgin PP compound o Scratch resistant, stain resistant surface
Metal Frame (Understructure)	• Material: MS ERW tube • Tube Sections: o $\varnothing 2.22 \pm 0.03$ cm; 0.16 ± 0.0128 cm thickness • Stability: Shall support minimum 120 kg static load
Powder Coating (Metal Components)	• Epoxy powder coating, Thickness: 50 microns (± 10 microns) • Colour: As per approved shade
Ergonomics	• Backrest Angle: 100-105° for comfortable dining posture • Seat Pan Angle: 3-5° backward tilt • Backrest: Slight lumbar curve for support
Armrest	Armrests (on both sides) shall be manufactured from injection-moulded indoor-grade polypropylene (PP) compound. Ergonomically designed, fixed type, securely mounted to the chair structure through metal inserts and corrosion-resistant fasteners, capable of withstanding normal office/study chair usage without deformation or failure Arm Rest width: 50-80 mm Arm Rest length: 200-300 mm

* Bidders offering must also comply with the additional specification parameters mentioned above.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Alok Devrani	625017, Project Cell Office, AIIMS Madurai, Govt. TB Hospital Campus, Austinpatti (Post), Thoppur, Madurai - 625 008, Tamil Nadu.	100	30

Modular Table / Meeting Table / Centre Table (V2) (100 pieces)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Table Top	Table Top Material Type	Particle Board, MDF Board, Marine Ply, BWP Ply, MR (Moisture Resistant) Ply Or higher
	Availability of Table top edge	Yes, No
	Table Top Edges	Round, NA
	Shape of Table Top (For Circle and Square, Length and Depth must be same)	Square, Rectangle, Circle, Oval, Hexagon, Trapezoid
	Width of Table Top (Tolerance ± 50 mm)	900 mm, 1050 mm, 1200 mm, 1350 mm, 1500 mm, 1650 mm, 1800 mm, 1950 mm, 2100 mm, 2250 mm, 2400 mm, 600 mm, 750 mm
	Depth of Table Top (Tolerance ± 50 mm)	600 mm, 750 mm, 900 mm, 1050 mm, 1200 mm, 1350 mm, 1500 mm, 1650 mm, 1800 mm, 1950 mm, 2100 mm, 2250 mm, 2400 mm
	Height of Table Top Adjustable	No
Table Understructure	Material Type in Table Understructure	Metal Understructure, Wooden/Engineer Wood Understructure, Metal Frame in combination with wooden understructure
	Support Type in Table Understructure	Leg, Gable
	Material of Table Understructure	Mild Steel, Aluminium, Particle Board, MDF Board, Marine Ply, MR (Moisture Resistant) Ply, BWP Ply, Mild Steel with Particle Board, Mild Steel with MDF Board, Mild Steel with Marine Ply, Mild Steel with MR Ply, Mild Steel with BWP Ply Or higher
	Table Understructure Metal Legs Cross Section (Approx)	40 x 40 mm, 50 x 50 mm, 60 x 30 mm, 100 x 40 mm, NA, 50 x 30 mm
	Thickness of Metal Legs Cross Section	NA, 0.8 mm, 1.0 mm, 1.2 mm, 1.6 mm, 2.0 mm
	Thickness of Wooden Leg / Gable (Tolerance ± 2 mm)	18 mm, 25 mm, 36 mm, 45 mm, 50 mm, NA
	Availability of modesty panel	Yes, No
Pedestal / Storage Unit in Table	Availability of Pedestal / Storage Unit	Yes, No

Additional Specification Parameters - Modular Table / Meeting Table / Centre Table (V2) (100 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
1. Dimensions 2. Powder Coating	1. Dimensions • Overall Size: 900 mm (L) × 600 mm (W) × 750 mm (H) • Dimensional Tolerance: ±5 mm on width, depth, and height 2. Powder Coating • Type: Epoxy powder coating • Thickness: 50 microns (±10 microns) • Shade: As approved (e.g., Matte Black)
Tabletop	Tabletop • Material: Pre laminated particle board • Thickness: 18 ± 0.5 mm • Edge Banding: 2 mm thick PVC edge banding on all exposed edges
Understructure (Metal Frame & Support Members)	Understructure (Metal Frame & Support Members) CRCA Sheet Components • Material: CRCA MS sheet with powder coating of 50 microns (±10 microns). • Thickness: 0.9 ± 0.09 mm
Tubular Frame	Tubular Frame • Material: MS ERW tube • Section: 25.4 ± 0.3 mm square tube • Thickness: 1.2 ± 0.096 mm • Stability: Load bearing capacity ? 60 kg
Modesty Panel	Modesty Panel • Material: CRCA MS sheet • Thickness: 1.0 ± 0.09 mm • Finish: Powder coated (same as frame)

* Bidders offering must also comply with the additional specification parameters mentioned above.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Purushothaman R	623503,AIIMS Madurai Medical College Temporary Campus 5th Floor, Government Medical College Ramanathapuram	100	30

Stainless Steel Dining Table With Fixed Chair (10 pieces)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम कैटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
MATERIAL AND MATERIAL THICKNESS	Table top / Chair seat / bench seat material	Stainless steel Grade 202 galvanized, Stainless steel Grade 304 galvanized, Stainless steel Grade 316 galvanized
	Table top / Chair seat / bench seat thickness	0.6 mm, 0.8 mm, 1.0 mm, 1.2 mm, 1.5 mm
	Leg material for Table and Chair/bench	Stainless steel Grade 202 galvanized, Stainless steel Grade 304 galvanized, Stainless steel Grade 316 galvanized, MS ERW tubes conforming to IS : 7138 - latest

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	Wall thickness of Leg material (for Table and Chair/bench)	0.6 mm, 0.8 mm, 1.0 mm, 1.2 mm, 1.5 mm, 1.6 mm
	Support material for Table and Chair/bench	Stainless steel Grade 202 galvanized, Stainless steel Grade 304 galvanized, Stainless steel Grade 316 galvanized, MS ERW tubes conforming to IS : 7138 - latest
	Backrest material for Chair/bench	Stainless steel Grade 202 galvanized, Stainless steel Grade 304 galvanized, Stainless steel Grade 316 galvanized, No backrest
	Table - Chair/bench attaching material	Stainless steel Grade 202 galvanized, Stainless steel Grade 304 galvanized, Stainless steel Grade 316 galvanized, MS ERW tubes conforming to IS : 7138 - latest, N.A
Generic	Product Configuration	Provision for 6 - persons, Provision for 8 - persons
	Design of Table	Rectangular
	Mode of supply	Assembled Ready To Use, Knocked Down To Be Assembled At Consignee Site By The Seller, Knocked Down To Be Assembled At Consignee Site By Consignee Himself
	Table Foot rest	Only two sides - along the width., Only two sides - along the depth., All four sides along the width and depth both., No foot rest in table.
	Chair/bench back rest	With, Without
	Support for Table top	Widthwise support, Depthwise support, Cross support, No support
	Number of support for Table top	1 no., 2 no., 3 no., 4 no., 5 no., 6 no., NA
	Support for chair/bench seat	Widthwise support, Depthwise support, Cross support, No support
Dimensions	Width of table ± 10 mm	1120 for 4-seater, 1180 for 4-seater, 1220 for 4-seater, 1830 for 6-seater, 1880 for 6-seater, 2130 for 8-seater, 2150 for 8-seater, 2360 for 8-seater, 2430 for 10-seater, 2450 for 10-seater, 1800 for 6-seater
	Chair/bench Leg size ± 2 mm	15 mm x 15 mm, 20 mm x 20 mm, 25 mm x 25 mm, 15 mm x 20 mm, 15 mm x 25 mm, 20 mm x 25 mm, 15 mm Dia, 20 mm Dia, 25 mm Dia, 40 mm x 40 mm, 40 mm x 40 mm attached with plate of size 95 mm x 95 mm x 5 mm (thick)
	Size of support pipes/square sections (for table)	20 mm x 20 mm, 25 mm x 25 mm, 20 mm x 25 mm, 25 mm x 30 mm, 20 mm (dia), 25 mm (dia)
	Size of support pipes/square sections (for chair/bench)	15 mm x 15 mm, 20 mm x 20 mm, 15 mm x 20 mm, 15 mm Dia, 20 mm Dia, 40 mm x 40 mm, 25 mm x 25 mm, 25mm x 03mm
WARRANTY	Warranty Period	1 - year, 3 - year

Additional Specification Parameters - Stainless Steel Dining Table With Fixed Chair (10 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
1. Dimensions 2. Base Support	1. Dimensions • Overall Size: 1500 mm (L) × 900 mm (W) × 700 mm (H) • Tolerance: ±3 mm in length, width, and height • Final confirmation of dimensions shall be done jointly at site before fabrication. 2. Base Support • Design: H type base only (no alternative designs permitted) • Material: SS 304 square pipe, 50 × 50 mm, 1.6 mm thick • Cross members: Adequately spaced to prevent wobbling
Tabletop Material (Granite Slab)	Tabletop Material (Granite Slab) • Material: Natural polished granite slab; Thickness: 18-20 mm • Grade: First quality, crack free, uniform grain • Colour: As per approved sample • Edge Profile: Chamfered edge (5 mm) or half round edges • Protection: Tabletop shall be sealed with stone sealer after installation.
Substrate (Plywood Backing)	Substrate (Plywood Backing) • 12 mm thick Marine Plywood (conforming to IS:710) backing beneath the granite slab for proper screw anchoring. • Fixing Method: o Granite to plywood using epoxy based stone adhesive o Plywood to frame using SS 304 screws (minimum 8 fixing points) o Screw spacing not exceeding 300 mm • Edge Protection: All plywood edges to be sealed with waterproof coating.
Table Frame (Stainless Steel Structure)	Table Frame (Stainless Steel Structure) • Material: Heavy-duty Stainless-Steel Grade SS 304 • Sections: 50 × 50 mm square pipe o Minimum thickness: 1.6 mm (±0.1 mm) • Load Capacity: Table shall withstand minimum 150 kg uniformly distributed load without deformation.
Rubber Buffers / Feet	Rubber Buffers / Feet • Non slip rubber (Hardness: Shore A 60-70) at the base to protect the floor surface and to improve the stability • Size: Minimum 25 mm diameter • Fixing: Screw on or press fit type

* Bidders offering must also comply with the additional specification parameters mentioned above.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Purushothaman R	623503,AIIMS Madurai Medical College Temporary Campus 5th Floor, Government Medical College Ramanathapuram	10	30

Steel Almira / Cabinets (V4) (300 pieces)

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम कैटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
STANDARDS AND CERTIFICATIONS	Governing Standard	Conformity to IS 3312, NA
GENERIC	Types of Almira (Dimensions are without pedestal height)	Small (1150 mm X 760 mm X 430 mm)
	Availability of Drawers	No
	Availability of Lockers	No

Additional Specification Parameters - Steel Almira / Cabinets (V4) (300 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
Dimensions:	Dimensions: 900 mm (W) x 300 mm (D) x 450 mm (H)
Core Substrate:	Core Substrate: 18 mm thick pre-laminated particle board in approved finish and shade
Doors:	Doors: 03 openable shutters constructed out of matching 18 mm pre-laminated particle board
Internal Fitments:	Internal Fitments: Equipped with 01 internal height-adjustable shelf, magnetic catchers, commercial-grade handles, heavy-duty hinges, and industrial mounting hardware
Edge Protection:	Edge Protection: All exposed panel boundaries wrapped in matching thick PVC edge banding

* Bidders offering must also comply with the additional specification parameters mentioned above.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Purushothaman R	623503,AIIMS Madurai Medical College Temporary Campus 5th Floor, Government Medical College Ramanathapuram	300	30

क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें/Buyer Added Bid Specific Terms and Conditions

1. Experience Certificate for the supply of the same to any Govt/ PSU/ any renowned private organisation along with Supply/ Purchase Order.
2. If the agency is registered under MSME or NSIC, then EMD exemption certificate needs to be enclosed.
3. Make in india specific authorisation certificate needs to be enclosed.

4. Generic

Actual delivery (and Installation & Commissioning (if covered in scope of supply)) is to be done at following address

AIIMS Madurai (permanent Campus)
near Project Cell Office
Govt TB Hospital Campus
Austinpatti Post, Thoppur
Madurai - 625 008
.

5. Generic

Buyer Organization specific Integrity Pact shall have to be complied by all bidders. Bidders shall have to upload scanned copy of signed integrity pact as per Buyer organizations policy along with bid. [Click here to view the file](#)

6. Generic

Experience Criteria: The Bidder or its OEM {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU for 3 years before the bid opening date. Copies of relevant contracts to be submitted along with bid in support of having supplied some quantity during each of the year. In case of bunch bids, the primary product having highest value should meet this criterion.

7. Generic

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 50 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity up to 50% of the contracted quantity during the currency of the contract at the contracted rates. The delivery period of quantity shall commence from the last date of original delivery order and in cases where option clause is exercised during the extended delivery period the additional time shall commence from the last date of extended delivery period. The additional delivery time shall be $(\text{Increased quantity} \div \text{Original quantity}) \times \text{Original delivery period (in days)}$, subject to minimum of 30 days. If the original delivery period is less than 30 days, the additional time equals the original delivery period. The Purchaser may extend this calculated delivery duration up to the original delivery period while exercising the option clause. Bidders must comply with these terms.

8. Scope of Supply

Scope of supply (Bid price to include all cost components) : Supply Installation Testing Commissioning of Goods and Training of operators and providing Statutory Clearances required (if any)

9. Service & Support

Dedicated /toll Free Telephone No. for Service Support : BIDDER/OEM must have Dedicated/toll Free Telephone No. for Service Support.

10. Service & Support

Escalation Matrix For Service Support : Bidder/OEM must provide Escalation Matrix of Telephone Numbers for Service Support.

11. Certificates

ISO 9001: The bidder or the OEM of the offered products must have ISO 9001 certification.

12. Certificates

Bidder's offer is liable to be rejected if they don't upload any of the certificates / documents sought in the Bid document, ATC and Corrigendum if any.

13. Certificates

The bidder is required to upload, along with the bid, all relevant certificates such as BIS licence, type test certificate, approval certificates and other certificates as prescribed in the Product Specification given in the bid document.

14. Sample Clause

After award of contract – Successful Bidder shall have to get advance sample approved from buyer before bulk manufacturing / starting bulk supplies. Successful Bidder shall submit

1

samples for Buyer's approval, within 7 days of award of contract. Buyer shall, as per contract specifications framework, either approve the advance sample or will provide complete list of modification required in the sample within 7 days of receipt of advance sample. Seller shall be required to ensure supply as per approved sample with modifications as communicated by Buyer. If there is delay from buyer side in approval of advance sample – the delivery period shall be refixed without LD for the period of delay in sample approval. In case, the sample is found to have major deviations / not conforming to the Contract specifications, the buyer at its discretion may call for fresh samples for approval before allowing bulk supplies or may terminate the contract after notifying the deviations to the seller.

Unless otherwise provided in the contract, all samples required for test shall be supplied by the contractor free of cost. Where under the contract, the contractor is required to submit an advance sample, any expenses incurred by the contractor on or in connection with the production of stores in bulk, before the sample has been approved unconditionally shall be borne by the Seller and he shall not claim any compensation in the event of such sample being found unacceptable by the Buyer / Consignee.

15. Buyer Added Bid Specific ATC

Buyer Added text based ATC clauses

Mandatory

Buyer added specifications as mentioned in the Additional Terms and Conditions document will prevail over GeM Category Specifications. Vendors Need to comply with Specifications mentioned in Buyer added specifications

Specifications for Hostel Furniture Purchase

1. Study Table: - 100 Nos

1. Dimensions

- Overall Size: 900 mm (L) × 600 mm (W) × 750 mm (H)
- Dimensional Tolerance: ±5 mm on width, depth, and height

2. Tabletop

- Material: Pre-laminated particle board
- Thickness: 18 ± 0.5 mm
- Edge Banding: 2 mm thick PVC edge banding on all exposed edges

3. Understructure (Metal Frame & Support Members)

CRCA Sheet Components

- Material: CRCA MS sheet with powder coating of 50 microns (±10 microns).
- Thickness: 0.9 ± 0.09 mm

Tubular Frame

- Material: MS ERW tube
- Section: 25.4 ± 0.3 mm square tube
- Thickness: 1.2 ± 0.096 mm
- Stability: Load-bearing capacity ≥ 60 kg

5. Modesty Panel

- Material: CRCA MS sheet
- Thickness: 1.0 ± 0.09 mm
- Finish: Powder-coated (same as frame)

6. Powder Coating

- Type: Epoxy powder coating
- Thickness: 50 microns (± 10 microns)
- Shade: As approved (e.g., Matte Black)

2. Study Chair with Arms: 100 Nos

1. Seat & Back Assembly

- Seat Size: 52.5 cm (W) × 53.2 cm (D). 45 cm from the ground.
- Back Size: 51.6 cm (W) × 50 cm (H)
- Colour: As per approved shade
- Material: Injection-moulded indoor-grade polypropylene (PP) compound
- Properties:
 - o Virgin PP compound
 - o Scratch-resistant, stain-resistant surface

2. Metal Frame (Understructure)

- Material: MS ERW tube
- Tube Sections:
 - o $\varnothing 2.22 \pm 0.03$ cm; 0.16 ± 0.0128 cm thickness
- Stability: Shall support minimum 120 kg static load.

3. Powder Coating (Metal Components)

- Epoxy powder coating, Thickness: 50 microns (± 10 microns)
- Colour: As per approved shade

4. Ergonomics

- Backrest Angle: 100–105° for comfortable dining posture
- Seat Pan Angle: 3–5° backward tilt
- Backrest: Slight lumbar curve for support

5. Armrest

Armrests (on both sides) shall be manufactured from injection-moulded indoor-grade polypropylene (PP) compound. Ergonomically designed, fixed type, securely mounted to the chair structure through metal inserts and corrosion-resistant fasteners, capable of withstanding normal office/study chair usage without deformation or failure.

Arm Rest width: 50–80 mm

Arm Rest length: 200–300 mm

3. Dining Table (6-Seater): 10 Nos

1. Dimensions

- Overall Size: 1500 mm (L) × 900 mm (W) × 700 mm (H)
- Tolerance: ± 3 mm in length, width, and height
- Final confirmation of dimensions shall be done jointly at site before fabrication.

2. Tabletop Material (Granite Slab)

- Material: Natural polished granite slab; Thickness: 18–20 mm
- Grade: First-quality, crack-free, uniform grain
- Colour: As per approved sample
- Edge Profile: Chamfered edge (5 mm) or half round edges
- Protection: Tabletop shall be sealed with stone sealer after installation.

3. Substrate (Plywood Backing)

- 12 mm thick Marine Plywood (conforming to IS:710) backing beneath the granite slab for proper screw anchoring.

- Fixing Method:
 - Granite to plywood using epoxy-based stone adhesive
 - Plywood to frame using SS 304 screws (minimum 8 fixing points)
 - Screw spacing not exceeding 300 mm
- Edge Protection: All plywood edges to be sealed with waterproof coating.

4. Table Frame (Stainless Steel Structure)

- Material: Heavy-duty Stainless-Steel Grade SS 304
- Sections:
 - 50 × 50 mm square pipe
 - Minimum thickness: 1.6 mm (±0.1 mm)
- Load Capacity: Table shall withstand minimum 150 kg uniformly distributed load without deformation.

5. Base Support

- Design: H-type base only (no alternative designs permitted)
- Material: SS 304 square pipe, 50 × 50 mm, 1.6 mm thick
- Cross-members: Adequately spaced to prevent wobbling

6. Rubber Buffers / Feet

- Non-slip rubber (Hardness: Shore A 60-70) at the base to protect the floor surface and to improve the stability
- Size: Minimum 25 mm diameter
- Fixing: Screw-on or press-fit type

7. Finish: Brushed or mirror-polished stainless-steel finish.

-

4. Dining Chairs (Without armrest): 140 Nos

1. Seat Dimensions:

- Overall Seat Size: 43 (L) × 62 cm (W) × 98.5 cm (H)
- Seat Height from the ground: 47.5 cm
- Dimensional Tolerance: ± 5 mm on all dimensions.

2. Frame

- Frame Type: Fully welded tubular frame.
- Tube Specifications:
 - Round Tube: $\varnothing 2.22 \pm 0.03$ cm × 0.16 ± 0.0128 cm wall thickness
- Material:
 - MS ERW tubes conforming to IS 3074 / IS 4923
- Reinforcement:
 - Seat frame to include cross-bracing or support plate to prevent sagging.

3. Upholstery & Cushioning

Material: PVC leatherette of thickness: 1.0-1.2 mm

Abrasion resistance: ≥ 30,000 Martindale cycles

Tear strength: ≥ 20 N

4. Shoes / End Caps

Material: Indoor-grade Polypropylene (PP); Snap-fit design compatible with tubular frame for Anti-skid and floor-protective function.

5. Without armrest

5. Single cot with Mattress (Steel COT): 250 Nos

1. Cot Dimensions

- Overall Size: 1850 mm (L) × 915 mm (W) × 450 mm (H)

- Headboard height: 450 mm from the metal frame
- Tailboard height: 150 mm from the metal frame
- Tolerance: ± 5 mm on length, width, and height
- Usable mattress area: Shall match the above dimensions without obstruction.

2. Metal frame:

- Frame Type: Fully welded tubular frame;
- Tubular diameter: 30 mm of 1.0 mm thickness
- Material: Mild Steel (MS) ERW tubes conforming to IS 3074 / IS 4923
- Grade: CRCA steel conforming to IS:513

3. Prelaminated Particle Board Components

All wooden components shall be pre-laminated particle board of approved shade.

Component	Thickness	Additional Requirements
Horizontal plinths	25 mm	Prelaminated both sides
Bottom plinth	25 mm	Moisture-resistant grade preferred
Headboard	18 mm	Imported Decorative HDF foil-wrapped trims
Tailboard	18 mm	Imported Decorative HDF foil-wrapped trims
Side rails	18 mm	Imported Decorative HDF foil-wrapped trims
Mattress panels	18 mm	All exposed edges edge-banded with 0.8 mm PVC

Edge Banding with PVC Material of 0.8 mm thickness

4. Construction

- Type: Knock-down (KD) construction
- Assembly:
 - o All components shall be connected using high-strength fasteners
 - o Minimum M6 bolts with zinc-plated finish
 - o Locking nuts or cam-lock fittings as per design
- Stability:
 - o Cot shall not wobble after assembly
 - o Structural frame shall support mattress panels without sagging
- Load Capacity:
 - o Minimum 120 kg uniformly distributed load (UDL)
 - o Mattress panel deflection ≤ 5 mm at full load

5. Metal Frame coating:

- o Epoxy Powder Coating with 50 microns thickness (± 10 microns)
- o Shade: Matte Black

6. Prelaminated Boards

- Shade: Walnut (or approved equivalent)
- Finish: Heat-sealed laminate, stain-resistant, termite-resistant
- Edges: All exposed edges sealed with PVC edge banding

7. Mattress:

Dimensions: 900 mm (W) 1800 mm (L)

Thickness: 10 cm;

Material: High-Density/Rebonded Foam with Density: 40 kg/m³

Cover Material: Often breathable knitted fabrics or polyester, frequently with a zippered, washable design.

6. Steel almirah: 150 Nos

1. Dimensions:

- Overall Size: 916 mm (W) \times 486 mm (D) \times 1981 mm (H)

- Tolerance: ± 5 mm on width, depth, and height
- Construction: Fully welded body for rigidity and long life

2. Material Specifications

All components shall be made from CRCA 'D' Grade high yield strength steel conforming to IS:513.

Component-wise Thickness

- Shelves: 0.7 mm
- Back Sheet: 0.8 mm
- Doors: 0.8 mm (high yield strength)
- All other components (sides, top, bottom, stiffeners): 0.9 mm

3. Construction Details

- Door Construction:
 - Double-panel reinforced doors
 - Door gap uniformity: ≤ 2 mm
 - Doors shall open up to 110–120 degrees
- Hinges:
 - 4 nos. heavy-duty concealed hinges per door
 - Minimum thickness: 1.6 mm
 - Welded to the frame for long life

4. Shelving System

- No. of Shelves: Minimum 4 shelves (5 compartments)
- Shelf Load Capacity: Uniformly Distributed Load (UDL) capacity of 40 kg per shelf.
- Adjustability: Height-wise adjustable shelf mounting slots at 25 mm pitch

5. Locking & Hardware

- Mazak (Zinc alloy) chrome-plated handle
- Locking System: Three-way locking mechanism with shooting bolts (top, bottom, and side); Lock shall be brass-pin type or equivalent high-security lock; Minimum 3 keys supplied.

6. Levelling Arrangement

- Levellers:
 - M10 screw-type leveller with hex plastic base
 - Height adjustment: minimum ± 10 mm
 - Anti-skid and floor-protective base

7. Powder Coating (Metal Components)

- Epoxy powder coating, Thickness: 50 microns (± 10 microns)
- Colour: As per approved shade

7. Wall mounted cabinet (Shelf):

- Dimensions: 900 mm (W) x 300 mm (D) x 450 mm (H)
- Core Substrate: 18 mm thick pre-laminated particle board in approved finish and shade
- Doors: 03 openable shutters constructed out of matching 18 mm pre-laminated particle board
- Internal Fitments: Equipped with 01 internal height-adjustable shelf, magnetic catchers, commercial-grade handles, heavy-duty hinges, and industrial mounting hardware
- Edge Protection: All exposed panel boundaries wrapped in matching thick PVC edge banding

COMMON TECHNICAL & QUALITY REQUIREMENTS

(Applicable to all furniture items unless stated otherwise)

1. Standards

- Materials and fabrication shall comply with applicable standards: IS:513 (CRCA), IS:7138 / IS:1161 (tubes), IS:12823 (boards), and relevant ISO/BIFMA.

2. Materials

- Materials shall be defect-free (no rust, cracks, deformation).
- Boards: moisture- and termite-resistant, uniform finish.
- Plastic components: free from warping, cracks, sink marks, and colour variation.

3. Fabrication

- CNC/precision manufacturing to be used where applicable.
- Welding: TIG/MIG, continuous, smooth, and defect-free.
- All edges rounded/deburred; **no sharp edges or burrs**.
- Structure shall include adequate reinforcements.

4. Surface Treatment & Coating

- **Pre-treatment:** Process involving-degreasing, derusting, phosphating, passivation etc.
- **Powder Coating:**
 - Epoxy / epoxy-polyester
 - Thickness: **50 ± 10 microns**
 - Smooth, uniform, defect-free (no pinholes/orange peel)
- **Corrosion Resistant**

5. Finish

- Surfaces shall match approved shade and be scratch-free.
- Laminates: stain-resistant and uniform in texture.

6. Construction & Workmanship

- Items shall be rigid, stable, and wobble-free.
- Joints tight, aligned, and properly finished.
- No dents, weld defects, or surface imperfections.

7. Performance Requirements

- Structures shall meet load requirements without failure:
 - Tables/Shelves: ≥ 20 kg UDL
 - Seating: ≥ 100 kg static load

9. Installation

- Proper levelling, alignment, and floor protection required.
- Final cleaning, polishing, and inspection before handover.

10. Packaging & Delivery

- Adequate protection (bubble wrap, edge protection).
- Supplier responsible for safe delivery and installation.

11. Warranty

- Minimum **1-year warranty** against manufacturing defects, weld failure, and coating/rusting under normal use.

12. Compliance

- Vendor shall provide test certificates if required.
- Items subject to sample approval before dispatch of bulk manufacturing.

16. Buyer Added Bid Specific ATC

Buyer uploaded ATC document [Click here to view the file.](#)

अस्वीकरण/Disclaimer

The Additional Terms and Conditions (ATC) have been incorporated by the Buyer after approval of their Competent Authority. The Buyer, is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any restriction arising in the bidding process due to these ATCs and including the modification of technical specifications and / or terms and conditions governing the bid. All representations / grievances pertaining to the ATC clauses shall be raised with the buyer organization directly and not with GeM. If any of the clause(s) is/are incorporated by the Buyer regarding the following, the bid & resultant contract shall be treated as null & void. Further, GeM reserves the right, at its sole discretion, to cancel the bid forthwith, without issuance of any prior notice or intimation :-

1. Publishing Custom / BOQ bids for items for which regular GeM categories are available (unless such Custom / BOQ item is bunched with the major regular product Category Item).
2. Mandating procurement of / from specific Brand / Make / Model / Manufacturer / Dealer except in case of Single Bid / Proprietary Article Certificate (PAC) Buying.
3. Inclusion of disqualification criteria related to suspension of seller / service provider, where such suspension period has already expired.
4. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
5. Publishing bids on GeM for procurement of works.
6. Procurement of Goods by creating a Service bid on GeM & vice-versa.
7. Seeking sample with bid or approval of samples during bid evaluation process. However, trial / sample, as the case may be, shall be permitted in cases where trial / sample are allowed as per approved and published procurement policy of the Buyers' controlling Ministry / Department / State / Public Sector Enterprises Headquarters. If there is any violation of trial / sample clause with regard to approved policy of the Buyers' Ministry / Department / State / Public Sector Enterprises Headquarters, then this is to be determined and redressed by the concerned Buyer Organisation only.
8. Seeking experience from specific organization / department / institute only or from foreign / export experience.
9. Creating bid for items from incorrect categories.
10. Reference of conditions published on any external site or reference to external documents/clauses.
11. Asking for any Tender fee / Bid Participation fee, as the case may be.
12. Buyer added ATC Clauses which are in contravention of clauses defined in bid detail section, including specifications, EMD Detail, ePBG Detail and MII and MSE Purchase Preference sections of the bid, unless otherwise allowed by the applicable GeM GTC.
13. Any ATC clause in contravention with GeM GTC Clause 4 (xiii) (h) will be invalid. In case of multiple L1 bidders against a service bid, the buyer shall place the Contract by selection of a bidder amongst the L-1 bidders through a Random Algorithm executed by GeM system.
14. In a category based bid, adding additional items, through buyer added, additional scope of work/ additional terms and conditions/or any other document. If buyer needs more items along with the main item, the same must be added through bunching category based items or by bunching custom catalogues or bunching a BoQ with the main category based item, the same must not be done through ATC or Scope of Work.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

All GeM Sellers/Service Providers shall ensure full compliance with all applicable labour laws, including the provisions, rules, schemes and guidelines under the four Labour Codes i.e. the Code on Wages, 2019; the Industrial Relations Code, 2020; the Occupational Safety, Health and Working Conditions Code, 2020; and the Code on Social Security, 2020 as and when notified and brought into force by the Government of India.

For all provisions of the Labour Codes that are pending operationalisation through rules, schemes or

notifications, the corresponding provisions of the pre-existing labour enactments (such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972, etc. and relevant State Rules) shall continue to remain applicable.

The Seller/ Service Providers shall, therefore, be responsible for ensuring compliance under:

- All notified and enforceable provisions of the new Labour Codes as mentioned hereinabove; and
- All operative provisions of the erstwhile Labour Laws until their complete substitution.

All obligations relating to wages, social security, safety, working conditions, industrial relations etc. and any other statutory requirements shall be strictly met by the Seller/ Service Provider. Any non-compliance shall constitute a breach of the contract and shall entitle the Buyer to take appropriate action in accordance with the contract and applicable law.

This Bid is governed by the General Terms and Conditions, conditions stipulated in Bid and Service Level Agreement specific to the Service, as the case may be, as provided in the Marketplace.

However, in case of Service, if any condition specified in General Terms and Conditions is contradicted by the conditions stipulated in Service Level Agreement specific to said Service, then it will over-ride the conditions in the General Terms and Conditions.

[यह बिड सामान्य शर्तों के अंतर्गत भी शासित है /This Bid is also governed by the General Terms and Conditions](#)

जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो। बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्रवाई का आधार होगा।/In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws.

---धन्यवाद/Thank You---